




TECHNICAL SHEET

SHERWOOD coat racks



CROWN SHAPE COAT STAND

5 HOOKS, STEEL STEM



CROWN SHAPE COAT STAND

COMPONENTS

1	5 pebble hooks in varnished beech wood or laquered wood white or black 100 x 55 x H 25 mm.
2	Round head Ø 320 mm, H. 65 mm, 5 epoxy-coated steel plates 4 mm thick
3	Stem in 1 tube L.1500 mm, Ø 25 mm in epoxy-coated steel 1.5 mm thick
4	Umbrella ring 260 x 260 mm , epoxy-coated steel wire Ø 8 mm,
5	Square base with rounded corners 340 x 340 mm, 4 mm thick, in epoxy coated steel, 4 felt pads
6	Drip tray in polycarbonate Ø 180 mm



REFERENCES AND PACKING INFORMATIONS

Reference	Description	Packing	Net weight
SW C5	Crown-shaped coat stand with 5 hooks	1 parcel 39 x 39 x 170 cm	5,43 kg
SW C5 PP	Crown-shaped coat stand with 5 hooks and umbrella ring	1 parcel 39 x 39 x 170 cm	5,88 kg

The coat stands are mounted

BRANCH SHAPE COAT STAND

6 HOOKS, STEEL STEM



BRANCH SHAPE COAT STAND

COMPOSANTS

1	6 Peeble hooks in varnished beech wood of laquered wood white or black 100 x 55 x H 25 mm.
2	Steel tube Ø 8 mm welded to the steel stem
3	Stem in 1 tube L.1630 mm, Ø 25 mm in epoxy-coated steel 1.5 mm thick. End cap in steel.
4	Umbrella ring 260 x 260 mm , epoxy-coated steel wire Ø 8 mm,
5	Square base with rounded corners 340 x 340 mm, 4 mm thick, in epoxy coated steel, 4 felt pads
6	Drip tray in polycarbonate Ø 180 mm



REFERENCES AND PACKING INFORMATIONS

Reference	Description	Packing	Net weight
SW A6	Branch-shaped coat stand with 6 hooks	1 parcel 39 x 39 x 170 cm	5,35 kg
SW A6 PP	Branch-shaped coat stand with 6 hooks with umbrella ring	1 parcel 39 x 39 x 170 cm	5,80 kg

The coat stands are mounted

BRANCH SHAPE COAT STAND

6 HOOKS, STEEL AND WOOD STEM



BRANCH SHAPE COAT STAND

COMPONENTS

1	6 Peeble hooks in varnished beech wood of laquered wood white or black 100 x 55 x H 25 mm.
2	Steel tube Ø 8 mm swiveling in the wooden stemtube.
3	1 tube in varnished beech wood, L 1000 square section 30 mm
4	1 tube in epoxy-coated steel 1,5 mm thick, L 630 mm square section 30 mm
5	Umbrella ring 260 x 260 mm , epoxy-coated steel wire Ø 8 mm,
6	Square base with rounded corners 340 x 340 mm, 4 mm thick, in epoxy coated steel, 4 felt pads
7	Drip tray in polycarbonate Ø 180 mm



REFERENCES AND PACKING INFORMATIONS

Reference	Description	Packing	Net weight
SW B6	Branch-shaped coat stand with 6 hooks Stem in steel and wood	1 colis 39 x 39 x 170 cm	5,51 kg
SW B6 PP	Branch-shaped coat stand with 6 hooks and umbrella ring, stem in steel and wood	1 colis 39 x 39 x 170 cm	6,06 kg

The coat stands are mounted

BRANCH SHAPE COAT STAND

8 HOOKS, STEEL STEM



BRANCH SHAPE COAT STAND

COMPONENTS

1	8 Peeble hooks in varnished beech wood of laquered wood white or black 100 x 55 x H 25 mm
2	Steel tube Ø 8 mm welded to the steel stem
3	Stem in 1 tube L.1630 mm, Ø 25 mm in epoxy-coated steel 1.5 mm thick. End cap in steel.
4	Umbrella ring 260 x 260 mm , epoxy-coated steel wire Ø 8 mm,
5	Square base with rounded corners 340 x 340 mm, 4 mm thick, in epoxy coated steel, 4 felt pads
6	Drip tray in polycarbonate Ø 180 mm


REFERENCES AND PACKING INFORMATIONS

Reference	Description	Packing	Net weight
SW A8	Branch-shaped coat stand with 8 hooks	1 colis 39 x 39 x 170 cm	5,49 kg
SW A8 PP	Branch-shaped coat stand with 8 hooks with umbrella ring	1 colis 39 x 39 x 170 cm	5,94 kg

The coat stands are mounted

UMBRELLA STAND

DIMENSIONS



COMPONENTS


- | | |
|---|---|
| 1 | Umbrella ring 260 x 260 mm , epoxy-coated steel wire Ø 8 mm, |
| 2 | 1 tube L.610 mm, Ø 25 mm in epoxy-coated steel 1.5 mm thick |
| 3 | Drip tray in polycarbonate Ø 180 mm |
| 4 | Square base with rounded corners 340 x 340 mm, 4 mm thick, in epoxy coated steel, 4 felt pads |

REFERENCES AND PACKING INFORMATIONS

Reference	Description	Packing	Net weight
SW 22	Umbrella stand	1 colis 37 x 37 x 63 cm	4,20 kg

MAGNETIC HOOK

DIMENSIONS



COMPONENTS


Plate in powder-coated steel L. 66 x H. 126 mm, fitted with a 1,5 mm thick magnet, \varnothing 8 mm welded pin.
1 pebble hook in varnished beech wood or laquered wood white or black 100 x 55 x H 25 mm

REFERENCES AND PACKING INFORMATION


Reference	Description	Packing	Net weight
SW MA	Patère murale	1 colis 13 x 8 x 9 cm	0,28 kg

WALL-MOUNTED COAT RAILS


1 WALL-MOUNTED COAT HOOK




2 WALL-MOUNTED COAT RAIL WITH 2 HOOKS



3 WALL-MOUNTED COAT RAIL WITH 3 HOOKS



4 WALL-MOUNTED COAT RAIL WITH 5 HOOKS



WALL-MOUNTED COAT RAILS

COMPONENTS

1	Screw pin Ø 8 mm on a roundsteel plate Ø 33 mm ,3 mm thick, Not suitable for plasterboard walls. 1 pebble hook in varnished beech wood of laquered wood white or black 100 x 55 x H 25 mm
2	Powder-coated steel plate L. 210 mm x H. 40 mm, 4 mm thick, with 2 welded steel tubes Ø 8 mm. 2 screws VBA inox 5x40, 2 pins. Distance between fixing points: 60 mm 2 pebble hooks in varnished beech wood of laquered wood white or black 100 x 55 x H 25 mm
3	Powder-coated steel plate L. 380 mm x H. 40 mm, 4 mm thick, with 3 welded steel tubes Ø 8 mm. 2 screws VBA inox 5x40, 2 pins. Distance between fixing points: : 230 mm 3 pebble hooks in varnished beech wood of laquered wood white or black 100 x 55 x H 25 mm
4	Powder-coated steel plate L. 720 mm x H. 40 mm, 4 mm thick, with 5 welded steel tubes Ø 8 mm. 2 screws VBA inox 5x40, 2 pins. Distance between fixing points: : 340 / 230 mm. 5 pebble hooks in varnished beech wood of laquered wood white or black 100 x 55 x H 25 mm

REFERENCES AND PACKING INFORMATIONS

Reference	Description	Packing	Net weight
SW M1	Wall-mounted coat hook	1 colis 13 x 13 x 7 cm	0,18 kg
SW M2	Wall-mounted coat rail with 2 hooks	1 colis 28 x 28 x 9 cm	0,49 kg
SW M3	Wall-mounted coat rail with 3 hooks	1 colis 46 x 9 x 10 cm	0,83 kg
SW M5	Wall-mounted coat rail with 5 hooks	1 colis 82 x 9 x 10 cm	1,50 kg

The wall-mounted coat rails are assembled.